


SUPPLEMENTARY STANDARD DETAIL DRAWING



SITE SERVICING PLAN - TYPE A

NOTE:

1. ALL DIMENSIONS SHOWN IN METRES.
 2. SHOW PARKING LOCATION AND DIMENSIONS IN ACCORDANCE WITH SCHEDULE 'C' OF THE ZONING BYLAWS.
 3. SHOW NEW DRIVEWAY CROSSING IN ACCORDANCE TO HIGHWAY ACCESS BYLAW 91-38.
 - * 4. THE WATER SERVICE CONNECTION SHALL BE 1.5m MIN FROM THE OTHER SERVICE CONNECTIONS. ALTERNATIVE LOCATIONS MUST BE APPROVED BY THE CITY ENGINEER.
 - ** 5. SANITARY SEWER AND STORM DRAIN SERVICE CONNECTIONS TO BE INSTALLED IN COMMON TRENCH UNLESS OTHERWISE APPROVED BY THE CITY ENGINEER. (REFER TO PLUMBING BYLAW 82-44, SECTION 34).
 6. *SPOT ELEVATION EXISTING / **PROPOSED**
 7. SHOW ALL PROPOSED WORK IN BOLD
- SITE PLAN TO ACOMPANY BUILDING PERMIT
 APPLICATION FOR _____ (ADDRESS)

NOT TO SCALE

SITE SERVICING PLAN - TYPE A

Revision Date

**September
25, 2025**

Drawing Number

STD 105.1


SUPPLEMENTARY STANDARD DETAIL DRAWING



LEGEND:

— W —	WATERMAIN
— D —	STORM DRAIN
— S —	SANITARY SEWER
⊙	WATER METER
□	BOULEVARD WATER SERVICE

ADDRESS: _____
 LOT: _____
 BLOCK: _____
 PLAN: _____
 ZONING: _____
 LAND USE: _____



SITE SERVICING PLAN - TYPE B

NOTE:

1. ALL DIMENSIONS SHOWN IN METRES.
 2. SHOW PARKING LOCATION AND DIMENSIONS IN ACCORDANCE WITH SCHEDULE 'C' OF THE ZONING BYLAWS.
 3. SHOW NEW DRIVEWAY CROSSING IN ACCORDANCE TO HIGHWAY ACCESS BYLAW 91-38.
 - * 4. THE WATER SERVICE CONNECTION SHALL BE 1.5m MIN FROM THE OTHER SERVICE CONNECTIONS. ALTERNATIVE LOCATIONS MUST BE APPROVED BY THE CITY ENGINEER.
 - ** 5. SANITARY SEWER AND STORM DRAIN SERVICE CONNECTIONS TO BE INSTALLED IN COMMON TRENCH UNLESS OTHERWISE APPROVED BY THE CITY ENGINEER. (REFER TO PLUMBING BYLAW 82-44, SECTION 34).
 6. *SPOT ELEVATION EXISTING / PROPOSED
 7. SHOW ALL PROPOSED WORK IN BOLD.
- SITE PLAN TO ACOMPANY BUILDING PERMIT
 APPLICATION FOR _____ (ADDRESS) _____

NOT TO SCALE

SITE SERVICING PLAN - TYPE B

Revision Date
SEPTEMBER
25, 2025

Drawing Number
STD 105.2